

項目	
機能	機能
型番	ABH
設置距離	設置距離: 150m 300m 450m 600m 750m 設置距離: 50m 100m 150m 200m 250m (設置距離)
動作電圧	13.8 ~ 24VDC 11 ~ 28VAC
動作電流	40-65mA
動作距離	50 ~ 700m / 設置距離
動作温度範囲	動作温度範囲
E動作温度範囲	-20 °C ~ + 50 °C
動作モード	NO / NC
動作角度	180 °± 90 °
動作精度	± 10 °
動作	動作
動作	動作

- ×
1. 機能
 2. 機能 (機能 AGC)
機能
 3. 機能 / 機能
 4. Built-in 機能
 5. 機能
 6. 機能

機能 ABH:

×

×

×

×

×

	□□□□
□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□	8 □□□□ / □□□□□
□□□□□□□□□	61 × 50 × 45 (□□.)
□□□□□□□□	25kg





● Exhibitions

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

