

PRODUCT THE ARRIVAL OF THE GOODS

2017NEW

Special private design, novel structure, sand-blast comfortable housing. The keypad buttons work with background LED and beepers, even though in the dark evening. Easy format the systems.

| Professional | High quality | Safe |

额定电压:	AC 110V-AC 240V
尺寸:	182 * 75 * 62mm
额定功率:	110-240 VAC
额定频率:	50-60 kHz
额定电流:	12V DC
额定功率 Curreent:	3A
额定功率:	36W
额定温度:	-20 ° C 65 ° C
额定电压:	1.5V
额定电压:	1.5V

AC 110V-AC 240V Switch Power Supply?



Metal box access control switch power supply

AC110V~240V input

12V,3A DC output

50~60Hz, input frequency

Output short-circuit and overload protection

Steel material shell

Optional remote control function


Suitable for access control system

2 years warranty, welcome OEM

□□□□□□□□ IN-KIND



□□□□□□□□□□□□



Remote control(optional)



SMQT[®]



CE RoHS FC

SMQT[®]



CE RoHS FC

SMQT[®]



CE RoHS FC

SMQT[®]



CE RoHS FC

SMQT[®]



CE RoHS FC

SMQT[®]



CE RoHS FC

SMQT[®]



CE RoHS FC

SMQT[®]



CE RoHS FC

SMQT[®]



CE RoHS FC

OFFICE SHOW



□□□□□□



□□□□□□□□

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



□□□□□□□□



PACKAGING & SHIPPING

Detection+Packing+Sealing+Finishing+International Express



XXXXXXXXXXXXXXXXXX

問： 何故このように設計されているのか？

答： この設計は、システムの柔軟性と拡張性を高めるために採用されています。また、データの整合性を確保し、エラーを最小限に抑えるための対策も含まれています。

Q: どのようなメリットがありますか？

答： この設計により、システムの処理能力が **1-3** 倍向上し、データの転送速度が **10-15** 倍速くなります。

Q: MOQ に関する情報はありますか？

A: 本製品の MOQ は **MOQ** であり、ご注文の際は必ずご確認ください。

問： どのような環境で動作しますか？

答： この製品は、標準的な環境で動作しますが、特定の条件下では動作しない場合があります。
(具体的な動作条件については、取扱説明書をご覧ください) 動作温度は **7-15**℃ です。

問： どのような保証がありますか？

答： 本製品には、メーカー保証が付属しています。また、オプションで延長保証も購入できます。
保証期間中は、修理や交換が無料で行われます。ただし、自然災害や誤操作による損傷は保証対象外です。

