

LED backlight door release button

- Stainless steel and aluminum panel
- Stainless steel button with LED light
- Blue/red/green led light color optional
- 100000~500000 times mechanical test
- Suitable for access control system



• Parameter



Model	EA-27A / B / C / D
Material	Stainless steel LED backlight
Dimensions	50 * 86 * 20 (mm)
Operating Voltage	12V ± 3VDC
Switching Capacity	NO / NC / COM
Life Span	500000 times
Light Color	Blue / Red / Green (Optional)
Mounting	Surface Mount
Weight	0.05kg

• Introduction



This LED backlight door release button is designed for use in access control systems. It features a stainless steel and aluminum panel with a stainless steel button that has an LED light. The button is available in three colors: blue, red, and green. It has a mechanical life span of 100,000 to 500,000 times and is suitable for use in access control systems. The button is mounted on the surface and weighs 0.05kg.



• *Feature*

SMQT



EA-27A



EA-27B



EA-27C




EA-27D



THE ONE

Strong stability

PC rubber seal lock core,
resistance to heat shock,
500, 000 times mechanical test
qualified, suitable for all
Access control system



THE SECOND

Superior Design

Simple and beautiful appearance,
stainless steel wire drawing
panel.



THE THIRD

OEM

LED backlight's color red/blue
green optional, print logo or
other service

• Installation

SMQT®

Switch Power supply



Door release
button EA-27



Converter
(RS232 to RS485)



Standalone
controller



PC

• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....