Auto-rest Emergency fire alarm panic button in home security alarm system

Product Description



Product Name:	Auto-rest Emergency fire alarm panic button in home security alarm system
Dimension:	86*86*50mm
Material:	Fireproof ABS
Max Voltage:	DC30V
Max Current:	3A
Pressure:	250V
Output contact:	NO/NC/COM
Color:	Red/ Green/White
Suit for:	Exit door , emergency door
Aptional accessories	Plastic cover
Operating temp:	10°C~+55°C(14-131F)
Operating Humidity:	0-95% (non- condensing)

Product Feature

What Features of our Emergency fire alarm panic button?



- 1. When the alarm occurs, press down button to alarm
- 2.Switching status: normally open / normally closed
- 3.Standard Structure: fireproof material shell, easy installation
- 4. Application types: security doors, escape door, security system
- 5.Optional accessories: Surface cover
- 6.Panel processing: Materials fire, matte anti-press

Product Display


IN-KIND SHOOTING



Application

APPLICATION





SHOW CASES







Company Information

OFFICE SHOW











CUSTOMERS









EXHIBITION



CERTIFICATION



Our Services

HOW TO COOPERATE



PACKAGING & SHIPPING

Detection+Packing+Sealing+Fnishing+International Express







Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

Q:What is your MOQ?

A:No MOQ limit.The more quantity the more discounts.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea),or appointed by buyer,7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

How to contact us? Click the enter send us inquiry below.