



产品规格	
产品名称	LED 指示灯, 蜂鸣器, 闪光器
型号	EB-169
额定电压	DC12V DC24V
额定功率	90 瓦 / 瓦
额定电流	9-15VDC 20-28VDC
额定电压	LED
额定功率	12V≤80mA / 24V≤100mA
额定功率	2W 5W
额定电压	≥1000V (额定电压范围内任意电压均可使用)
额定电压	72 * 42 (mm)

产品规格 Strobe?



Strobe Alarming light

- 1.Suitable for higher-end stroboscopic system model.
- 2.Chimney texture design improves the light diffusion effect.
- 3.Flash 90 times per minute.
- 4.The high-quality LED light.
- 5.IP44 protection grade.
- 6.AS+ABS shell.

LED guide plate

Select high-quality materials, strict quality control, production of exquisite workmanship. This assures the mixer durable products.



Combination of fixed base plate

Base plate is divided into two pieces, shape material are exactly the same.


Also can use double post stent paste on the wall.

Strobe indicator light


LED lights, flash frequency up to 90 times a minute.



□□□□□□□□ **IN-KIND**



□□□□□□□□□□□□



SHOW CASE

SIMILAR PRODUCT



OFFICE SHOW



□□□□□□



□□□□□□□□



HOW TO COOPERATION

Q: 請問MOQ 多少?

A:EXW MOQ 100pcs

Q: 請問...

A:...

Q: 請問...

A:...

Q: 請問...

A:...

EV1527