

Converter USB to RS485

Compatible with ELA/TIA RS-232,RS-485 standard

Transmission medium: normal cables, twisted-pair cables or shielded cables

57.6kbps in 1200m transmission speed(short distance can reach 230kbps)

Transmission distance: 5m(USB port)

1200m(RS485 port)

7-12V input voltage



- *Parameter*

SMQT®

外形寸法	USB 規格 RS485
型番	EA-02
外形寸法	94 × 35 × 18 (mm)
通信規格	EIA / TIA RS-232C, RS-485 対応
通信ポート	USB 規格 DB9, RS-485 規格 DB9 （オプション）
通信方式	Asynchronous
通信速度	57.6kbps ~ 230kbps
通信距離	1200m
電源	5V (USB) 1,200V (RS-485 Terminal)
材質	樹脂
重量	約 116g
動作温度範囲	5% ~ 95%
temperature 範囲	-10 °C ~ 85 °C
保証期間	1年
保証内容	0.116kg

- *Introduction*

SMOT®

□□□□□□□□ USB to RS485

[illegible]



• *Feature*

SMQT



Converter USB to RS485
Interface compatible with EIA
/ TIA RS-232C, RS-485 standard

Electrical Interface:

USB port, DB9 female connector
RS-485 side, DB9 male connector

Transmission rate:

Up to 57.6kbps (close up to 230kbps
rate) in the 1200m distance

Transmission distance:

5 m (USB end) 1200 m (RS-485 terminal)

Suitable for data transmission system

0.116kg weight

Welcome OEM and 2 years quality warranty

switch power supply



Door release button



Access control keypad

Converter USB to RS485 EA-02



PC

• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....