

● Parameter

SMOT®

□□□□□□□□□□	86L * * * * * 0.8H 54W (mm)
□□□□□□□□□□	□□□□□
□□□□□□□□□□□□□□□□	13.56 Mhz
□□□□□□□□□□□□□□□□□□	9g
□□□□□□□□□□□□□□□□□□	3 ~ 6 □□

● Introduction

SMOT®

□□□□□□□□ 100,000 □□□□, □□□□□□□□□□□□□□□□□□□□ 10 □□

□□□□□□□□□□ 1k

[illegible]

1-2ms

[illegible][illegible]

RFID 13.56MHz IC reader.The RFID IC

● **Dimesion Picture**

SMOT®

● Installations

SMQT®



● Features

SMQT®

IC 門鎖系統具有多種安裝方式，可根據實際需求進行選擇。該系統支持多種開鎖方式，包括密碼、IC 卡、指紋等。此外，該系統還具有防盜、防撬、防暴等安全功能，可確保門鎖的安全性和可靠性。

1. 本產品為台灣製造，品質優良，價格公道，歡迎各界人士垂詢。
 2. 本產品為台灣製造，品質優良，價格公道，歡迎各界人士垂詢。
 3. 本產品為台灣製造，品質優良，價格公道，歡迎各界人士垂詢。

accessories

SMQT



Packing list

SMQT

包裝箱	200 / 包裝箱
包裝箱尺寸	40.5L * * * * * 25W 20.5H (mm.)
包裝箱重量	15.06Kg

Office

SMQT



● Exhibitions

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....