

● Parameter

SMOT[®]

□□□□	86 L * 86W * 50H (mm)
□□□	NC / COM / □□□
□□□□□□□□□□	□□□□□□□□□□□□□□□□□□ □□□□□□□□
□□□□□□□□□□□□	□□□□ □□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□	-10 °C ~ + 50 °C
□□□□□□	□□ ABS
□□	□□□□□□ □□□□□□□□ □□□□□□ □□□□□□□□

● Introduction

SMOT[®]

000000000000000000 00000000000000000000
 0000000000: 00000000 / 00000000
 00: 000/ 000000/ 000 / 00000000000000
 000000000000000000: 0000000000000000 000000000000
 000000000000000000000000: 000000000000000000000000 00000000 000000000000000000000000
 00000000000000: 0000 0000000000000000000000
 0000000000000000: 0000000000 000000000000

● Dimesion Picture

SMOT®

● Installations

SMOT®



● Features

SMOT®

SMOT® is a high-quality emergency stop button assembly. It is designed to be used in a variety of applications, including industrial machinery, conveyor systems, and other equipment. The assembly is made of high-quality plastic and metal components, ensuring durability and reliability. It features six push-buttons, each with a different color and label, allowing for easy identification and operation. The assembly is also equipped with a clear plastic bag containing a small metal pin and other parts, which are used for installation and maintenance. The text 'CONNECT ONLY IN ACCORDANCE WITH ENCLOSED DATA' is printed on the front panel, reminding users to follow the instructions carefully.



● Packing list

SMOT®

□□□□□□	100pcs / □□□
□□□□□□□□	47 L * 39W * 30H (cm)
□□□□□□□□□□	□□. 17.44



● Office

SMQT®



2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....