

● Parameter


SMQT

参数	
型号	EB-130
工作电压	12V
尺寸	40 ± 5 (mm)
工作频率	315MHz / 433MHz
工作距离	≤100m

● Introduction

SMQT

本产品是一款采用315MHz/433MHz频率的无线遥控开门器，具有体积小、功耗低、使用寿命长等特点。本产品适用于各种类型的防盗门，安装简便，使用方便。本产品采用先进的无线遥控技术，可实现远距离遥控开门，安全可靠。本产品还具有低功耗、长寿命等特点，是您家庭防盗门的理想选择。




● Dimension Picture

SMQT



● Installations

SMOT





**Function:**To detect the door, window, drawer, ambry is illegally open or move.

**Features:**Triggered under the armed state, there will be alarm signal to send to alarm host.

**Installation:** installed at the closed door and drawer.(PS:Detectors and magnetic stripe is opposite, the spacing of less than 1 cm)



**Installation Instruction**

- 1、Emitter and magnetic stripe with two-side glue stick on the door and door frame, as far as possible between closed without gap
- 2、Suitable for wood door/window or glass door/window.

● Packing list

**SMQT**



□□□□□□□□□□□□□□□□	
□□□□□	200 / □□□□□
□□□□□□□□□□□□	40L * * * * * * * * 30W 20H (□□.)
□□□□□□□	10kg



● In the Office

SMQT®



● Exhibitions

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair