

## ● Parameter

SMQT®

尺寸	65 * 30 * 17 (mm.)
额定电压/容量	3.7V / 200mAh
充电时间	> 12 小时
放电时间	≤ 1 小时
工作温度	40 ± 5 ℃
工作频率	315MHZ / 433MHZ / 868MHZ
待机时间	≤100m (典型值)

## ● Introduction

SMQT®

本产品是一款小巧、轻便、低功耗的无线遥控器，适用于各种小型设备。它采用3.7V锂电池供电，容量为200mAh，充电时间大于12小时，放电时间小于1小时。工作温度为40 ± 5 ℃，工作频率为315MHZ / 433MHZ / 868MHZ，待机时间小于100m (典型值)。

## ● Dimesion Picture

SMQT®



## ● Installations

SMQT®

## Wireless Magnetic Contact Sensor



The unique door/window magnetic contact with the emergency button in security industry . make sure more safety for user;  
 • Induce the door or window open or close and gap in 10mm, the wireless transmission up to 80 meter.



Stable, stable performance, green.  
 Flexible transmission capacity, frequency stability options.

## ● Features

**SMQT**



**Multifunctional, the new model, patented design.**

Tradition, stability, durability  
 Imported touch reed switch  
 Fire-retardant casing material, security and stability.  
 Comes with emergency button, an accessory, a variety of uses.



**Built-in battery, used or release anytime.**

Smart power-saving built-in battery design, the sensor also can work at home even though power cut out, comes with high-energy battery, sustainable use of uninterruptible power supply

# Reed , A special magnetic switch

Imports Reed touch than the general mechanical switch of simple structure, small size, high speed, long working life, and strong anti-shock load, high operating reliability.



## Packing list

SMQT

□□□□□	200 / □□□□□
□□□□□□□□□□□□□□□□	40 * 30 * 20 (□□.)
□□□□□□□□□□□□	10kg

## Office

SMQT



## Exhibitions

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

