

● Parameter

SMQT

工作电压	DC12V
功率	15W
喇叭类型	车载喇叭 ABS
频率范围	800HZ ~ 15KHZ
SNR	≥82db
灵敏度	150db
工作温度	-10 °C ~ 65 °C
效率	40% ~ 95%

● Introduction

SMQT

NV020S

该喇叭采用优质材料，音质清晰，功率大，使用寿命长；
 喇叭 ABS 喇叭，安装在 ABS 系统，用于 ABS 报警，声音响亮；
 Built-in 内置 Philips 喇叭，音质清晰，功率大，使用寿命长；
 喇叭采用优质材料，音质清晰，功率大，使用寿命长；
 喇叭：喇叭采用优质材料，音质清晰，功率大，使用寿命长；
 喇叭采用优质材料，音质清晰，功率大，使用寿命长；
 喇叭采用优质材料，音质清晰，功率大，使用寿命长；

● Dimesion Picture

SMQT





1

Fire-proofing materials

Fire-proofing materials

High-strength fire retardant ABS material, the surface spray processing, durable, long service life.



2

Alarm sounds great

Alarm sounds great

NV020S do use voice chip voice processing core, with industrial-grade performance and stability of the reticle;

Built-in dual output Philips audio amplifiers, loud, high definition.



3

Rotating stents

Rotating stents

Single power supply, effective utilization of power usage.

It can set on the floor or wall, 90° Rotating stents.



4

Wide applicability

Wide applicability

High-strength fire retardant ABS material, the surface spray processing, Scope: oil, high pressure, mines, toxic, airport bird and so on.

● Packing list

SMOT

□□□□□	50 / □□□□□
□□□□□□□□□□□□□□□□	57 * 57 * 23.5 (□□.)
□□□□□□□□□□□□	16.46Kg



2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....