

PIR Infrared motion sensor



PIR Infrared motion sensor	
Model	EB-170
Dimensions	130 * 68 * 45 (mm)
Power supply	12V DC
Working angle	110 °
Working temperature	-20 °C ~ 50 °C
Working humidity	0.2 ~ 7 / %RH
Detection distance	2.2m
Storage temperature	-25 °C ~ 65 °C
Light source	LED (Infrared LED)
Load capacity	NC, 28V DC, 0.15A
Output signal	NC, 28V DC, 0.15A
Detection accuracy	95%

PIR	PIR
0.1kg	0.1kg

PIR

PIR PIR



1.Wired Infrared PIR Motion Sensor




2.DC 12V power supply.


3.12m detecting distance.

4.2.2m installation height.

5.2 years warranty , welcome OEM.


XXXXXXXXXX IN-KIND






Detection zone:

Top view



Side view



□□□□□□□□

SMQT® 深圳市铭汗科技有限公司 SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD   https://eis.en.alibaba.com	SMQT® 深圳市铭汗科技有限公司 SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD   https://eis.en.alibaba.com	SMQT® 深圳市铭汗科技有限公司 SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD   https://eis.en.alibaba.com
SMQT® 深圳市铭汗科技有限公司 SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD   https://eis.en.alibaba.com	SMQT® 深圳市铭汗科技有限公司 SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD   https://eis.en.alibaba.com	SMQT® 深圳市铭汗科技有限公司 SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD   https://eis.en.alibaba.com
SMQT® 深圳市铭汗科技有限公司 SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD   https://eis.en.alibaba.com	SMQT® 深圳市铭汗科技有限公司 SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD   https://eis.en.alibaba.com	SMQT® 深圳市铭汗科技有限公司 SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD   https://eis.en.alibaba.com

OFFICE SHOW



□□□□□□



□□□□□□□□

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



□□□□□□□□



XXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

