

□ □



□□□□□□□□□□□□:	□□□□ Infrared No Touch Exit □□□□□□ LED 2 □□□□□□□□□□□□□□□□□□□□□□□□□□□□	
□□□□:	EA-21E	EA-21F
□□□□:	86 * 50 * 25mm	86 * 86 * 25mm
□□□□□□□:	0.1kg	0.14kg
□□□□□□□□□□□:	DC 12V	
□□□□□□□□□□□:	□□□□□□□□□□□□□□□□□□□□□□□□□□□□	
□□□□□□□□□□□□□□:	□□□□□□□□□□□□□□□□□□□□□□□□□□□□	
□□□:	5 □□□	
□□□□□□□□□□□□:	□□□□□□□□: □□□□□□ DC 12V □□□□□□: GND □□□□□□□□□□□□: COM □□□□□□□□□□: NC □□□□□□□□□□□□: NO	
□□□□□:	□□□□□□□□□□□ + □□□□□ PCB	
□□□□□□□□□□□□□□□□□□:	-20 °C ~ 50 °C	
□□□□□□□□□□□□□:	1 □□	

□□□□□□□□□□□□□□□□□□ EA-21E / F □□?

Appearance



EA-21E



EA-21F

Size




EA-21E



EA-21F



Wire port specification



Package list



EA-21E



EA-21F

□□□□□□□□□□ □ ?

