



LCD Dimension: 2.8" TFT color display

Verification Mode: fingerprint, RFID card, password

Fingerprint Capacity: 3000(10000/30000/50000 are customrized)

Communication Format: RS485,TCP/IP, USB,USB driver

Language: English, Chinese, etc.

Transaction Capacity: 80000/120000/300000

Algorithm Version: Version 10.93 quard Core

Verification Speed: 0.6sec

□□□□□□□□ IN-KIND



SHOW CASE



OFFICE SHOW



□□□□□



□□□□□□□□



□□□□□□□□□□



HOW TO COOPERATION



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer

##

Q: 如何選擇合適的電池類型？

A: 選擇電池時，應考慮設備的功耗、使用時間、充電時間、尺寸和成本等因素。對於低功耗設備，鋰離子電池（Li-ion）通常是首選，因為它具有較高的能量密度和較長的壽命。對於需要快速充電的設備，鎳氫電池（NiMH）可能更合適。

Q: 如何正確使用和維護電池？

A: 正確使用和維護電池可以延長其壽命。應避免將電池完全放電，並應在充電時使用正確的充電器。此外，應避免將電池暴露在極端溫度下，並應定期檢查電池的狀態。對於鋰離子電池，建議在充電時使用原廠充電器，並避免在充電時使用設備。

Q: 如何處理廢舊電池？

A: 廢舊電池應按照當地政府的規定進行處理。不應將電池丟入普通垃圾，因為這可能會對環境造成污染。許多社區都有專門的電池回收站，可以將廢舊電池送到那裡進行回收。

在選擇電池時，應考慮設備的功耗、使用時間、充電時間、尺寸和成本等因素。EV1527 電池具有較高的能量密度和較長的壽命，是許多設備的理想選擇。