

Converter RS232 to RS485

Compatible with RS-232, RS-485/RS-422 standard of EIA/TIA

RS-232 interface, DB9(holes)

RS-422/RS-485 interface, DB9(pin) with 6 terminals

300-115.2kbps transmission speed


Twisted-pair cables as transmission medium

With protection of $\pm 15\text{KVESD}$, RS-422/RS-485 of 600W lightning strike and surge power of each line.

3500VRMS isolation

500VDC isolation voltage

SMQT



產品名稱	RS485 轉換器 RS232, 1200M 轉換器
型號	EA-05
尺寸	90L * 65W * 25.5H (mm.)
工作電壓	DC 9V
接口標準	符合 EIA / TIA RS-232C, RS-485 / RS-422
接口類型	RS-232C 接口為 DB9, 接口為 DB9 接口 RS-422 / RS-485 接口為 6 針
通道數	3 通道 TXD RXD POWER
傳輸速率	300-115.2KBPS
保護電壓	RS-232 接口為 $\pm 15\text{KVESD}$ 接口為, RS-422 / RS-485 接口為 600W
隔離電壓	3500VRMS
工作溫度	0 °C ~ 50 °C
重量	0.62kg

rs485 轉換器



EA-05

Converter RS232 to RS485

**Interface compatible with EIA / TIA RS-232C,
RS-485 / RS-422 standard**

Electrical Interface:

**RS-232C interface DB9 female connector port,
RS-422/485 Interface DB9 female connector**

Transmission medium: shielded twisted pair wire

300-115.2KBPS transmission rate

Lightning surge protection

Working Humidity: 5%~95%

Environment temperature: 0 °C ~ 50 °C


Net weight: 0.62kg

Welcome OEM and 2 years quality warranty

□□□□□□□□ IN-KIND



□□□□□□□□□□□□



SHOW CASE



OFFICE SHOW



□□□□□





HOW TO COOPERATION



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer

□□□□□□□□□□□□□□□□

QUESTION: _____?

A:

Q: 請問有現貨嗎?

A: 現貨庫存數量有限，1-3 天內可出貨，大批量訂貨可安排 10-15 天內
出貨，數量在 5000 個以上

問: 請問有現貨嗎 **MOQ** 多少?

A: EXW MOQ 100pcs 可安排出貨

問: 請問有現貨嗎，數量多少?

A: 現貨庫存數量有限，1-3 天內可出貨，大批量訂貨可安排 10-15 天內
出貨，數量在 5000 個以上

問: 請問有現貨嗎，數量多少?

A: 現貨庫存數量有限，1-3 天內可出貨，大批量訂貨可安排 10-15 天內
出貨，數量在 5000 個以上

Q: 請問有現貨嗎，數量多少?

A: 現貨庫存數量有限，1-3 天內可出貨，大批量訂貨可安排 10-15 天內
出貨，數量在 5000 個以上

現貨庫存數量有限，1-3 天內可出貨，大批量訂貨可安排 10-15 天內
出貨，數量在 5000 個以上