

RFID LED 125KHz / 13.56MHz



RFID LED 125KHz / 13.56MHz	RFID LED 125KHz / 13.56MHz
EA-81A	EA-81A
120mm * 75mm * 25mm	120mm * 75mm * 25mm
1000 (16000/32000)	1000 (16000/32000)
ID (125KHz) / IC (13.56MHz)	ID (125KHz) / IC (13.56MHz)
3 ~ 7cm	3 ~ 7cm
< 0.5s	< 0.5s
12VDC	12VDC
< 100mA	< 100mA
-35 ~ 70degree	-35 ~ 70degree
/ ()	/ ()
160g	160g
OEM	OEM
2	2

RFID LED EA-81A



1.Single door standalone RFID card door access control keypad

2.IC(13.56MHz) and ID(125KHz) Card type optional

3.Support external WG26 card reader

4.1000 card capacity(16000/32000 can be customized)

5.Rainproof function


6.Card reader,door button, door sensor,lock interface

7.2 years warranty , welcome OEM

EA-81A □□□□□□□□□□□□□□□□?




〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇 EA-81A?



〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇?



How to connect the wires?



Where to use it?



□□□□□□□□□□□□□□□□ □

SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技




SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



OFFICE SHOW



□□□□□□



□□□□□□□□

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2017 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair





