

## wireless Solar Siren

Fireproof ABS housing, 105 sound pressure,  
AC 110V-240V,USB 5V ,solar Power supply,  
color(red/blue optional).



**SMQT**

### • Parameter

**SMQT**

Working Voltage	3.7V 1800mAh 18650 Rechargeable battery 9V battery 6F22 1
Working Current	2000LUX $\geq 4mA$
Sound Pressure	110dB
Working Current	$\leq 500mA$
Working Current	$\leq 1mA$
Working Current	$\leq 45mA$ (standby)
Frequency	315MHz
Working Temperature	$-10^{\circ}C \sim +55^{\circ}C$ Humidity $\leq 80\%$ (non-condensing)
Material	PC + ABS + Fireproof ABS
Size	230 * 309 * 80 (mm)

### • Introduction

**SMQT**

# PRODUCT PICTURE



Electro



# PRODUCT FEATURE



**EB-168W**

*1. Waterproof Shell* →

*2. Intelligent Control* →

*3. Lithium batteries,  
solar charger* →

*4. Tamper alarm* →

*Your hearing, you kown, no worry!*



**Solar power**



**Wireless outdoor solar strobe light siren**

**Wireless connection**



*Apply for Wireless home alarm system*



## • Packaging & shipping

SMQT®



## • Office show

SMQT®



## • Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair