









EB-166 LOOK LIKE?



## EB-166'S PARAMETER

EB-166'S PARAMETER	
Model:	EB-166
Dimensions:	200 * 236 * 118 (mm)
Operating Voltage:	DC 12V
Operating Current:	1200mA
Power Consumption:	40W / 30W (Maximum)
Impedance:	8Ω
Sound Pressure Level:	120dB
Frequency Response:	20Hz ~ 20kHz
Operating Temperature:	-20 °C ~ 50 °C
Relative Humidity:	95% RH
Storage Temperature:	-20 °C ~ 60 °C
Weight:	1.2kg
Power Source:	CE
Warranty:	2 Years

EB-166'S PARAMETER










## Size



## 3 Wires 2 Tones



## 120 dB High Sound Pressure



## Waterproof





SMQT<sup>®</sup>  
铭汗科技



SMQT<sup>®</sup>  
铭汗科技



SMQT<sup>®</sup>  
铭汗科技



SMQT<sup>®</sup>  
铭汗科技



SMQT<sup>®</sup>  
铭汗科技



SMQT<sup>®</sup>  
铭汗科技



SMQT<sup>®</sup>  
铭汗科技



SMQT<sup>®</sup>  
铭汗科技



SMQT<sup>®</sup>  
铭汗科技

