

SMQT 433mhz / 315mhz



SMQT 433mhz / 315mhz		
EA-11-4-12	EA-11-4-24	
Dimensions (mm)	74 * 53 * 27 (mm)	74 * 53 * 27 (mm)
Dimensions (mm)	53 * 23 * 10 (mm)	53 * 23 * 10 (mm)
Power supply	12V DC	24V DC
Current consumption	< 6mA	< 6mA
Power consumption	10mW	10mW
Frequency range	315MHz / 433MHz (MHz)	315MHz / 433MHz (MHz)
Frequency range	100 MHz	100 MHz
Operating temperature	-20 °C ~ 50 °C	-20 °C ~ 50 °C
Storage temperature	-25 °C ~ 65 °C	-25 °C ~ 65 °C

95%	95%
98g	98g

433mhz / 315mhz Four CH



Four CH wireless remote controller




Wireless frequency 315Mhz/433Mhz


2 years quality warranty,welcome OEM

1 Receiver max match 30 pcs transmitters


Communication distance 100m in open air

XXXXXXXXXX **IN-KIND**





Wiring diagram



These port is use for other doors

This model 4 channel remote controller is widely use in Access control system, to remote open the door, suitble for Home, Apartment,Office etc.

OFFICE SHOW



XXXXXXXXXX



XXXXXXXXXX

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



Payment & Transport



問: 如何處理這批被檢出的「問題」影片？

[illegible]

Q: □□□□□□□□□□?

□□□: □□□□□□□□□□□□□□□□ **1-3** □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
10-15 □□□□□□□□

Q: MOQ 怎么样?

[illegible]

QUESTION: _____?

[illegible]

QUESTION

