



CH 12V / 24V 433Mhz / 315Mhz




参数		
产品型号	EA-11-2-12 2 通道, 433MHz / 315MHz 无线遥控接收器	
尺寸	EA-11-2-12	EA-11-2-24
尺寸	尺寸: 68 * 48 * 20 (mm) 尺寸: 53 * 23 * 10 (mm)	尺寸: 68 * 48 * 20 (mm) 尺寸: 53 * 23 * 10 (mm)
工作电压	12V DC	24V DC
工作电流	< 6mA	< 6mA
功率	10mW	10mW
工作频率	1 通道 315MHz / 433MHz (可选) 30 通道 433MHz (可选)	1 通道 315MHz / 433MHz (可选) 30 通道 433MHz (可选)
工作温度	315MHz / 433MHz (可选)	315MHz / 433MHz (可选)
存储温度	100 摄氏度	100 摄氏度
工作湿度	-20 °C ~ 50 °C	-20 °C ~ 50 °C
存储湿度	-25 °C ~ 65 °C	-25 °C ~ 65 °C
效率	95%	95%
重量	85g	85g





Wiring diagram



This port is use for another door

This model 2 channel remote controller is widely use in Access control system, to remote open the door, suitble for Home, Apartment,Office etc.

□□□□□□□□

□□□□□□□□



□□□□□□ □□□□□□

OFFICE SHOW



□□□□□□



□□□□□□□□

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



□□□□□□□□



XXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX



