

IP65 PIR Triple Motion Detector



Outdoor Motion Detector



EB-179S2

Specification	
Model	IP65 PIR Triple Motion Detector
Model Number	EB-179S2
Dimensions	160*65*50.5(mm.)
Operating Voltage	9~16V
Operating Current	30mA
Operating Temperature	10.525
Operating Humidity	3
RFI/EMI	0.1-500/3
Light Sensitivity	>10000 LUX
Output Current	100mA/24V
Output Voltage	100mA/24V
Operating Temperature	-10~55
Humidity (RH)	95%
Warranty	1 Year

0.2 0. / 0.00000 0.00 3.5 0. / 0.00000	
12 0. * 12 0. 100 ° (0.0000000000)	
12 0. * 3 0. 12 ° (0.0000000000)	
12 0. * 12 0. 100 ° (0.0000000000000000)	
0.000000000000	0.00000000
0.0000000000000000	0.000000 1.5 0. ~2.4 0
0.00000	0.000000000000 ABS 0.0000
0.00	0.0000/0.00(0.000000000000)
0.00000000	300 0.0000

EB-179S2 0.0000000000000000?

Size





Waterproof




IP65 level


Detecting area specification




PCB board display




Installation precautions




Keep away from strong interference




Keep away from high pressure power




Installation base shall be stable




No direct facing cold /hot source



Don't install more than 2 detectors at the same site



Don't install on the tree



Install error

Packing list



□□□□□□□□□□□□□□□□□?



SMQT show



Team



Factory



2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2017 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair