



品名	PIR 红外线探测 PIR 红外线探测
型号	EB-194
尺寸	109 * 60 * 42 (mm)
工作电压	9V 6F22
工作电流	≤20uA
最大功耗	≤30mA
探测角度	110 ° (° curtain15)
工作温度	-20 °C ~ 50 °C
探测距离	12 米 (约 8 米)
探测频率	433MHz
探测精度	433MHz / 315MHz (1527) (约 1527)
探测范围	约 100 米 (约 100 米)
探测方式	LED 红外线
探测精度	95%
探测温度	-10 °C ~ 60 °C
重量	0.15kg

(品名: 2 红外线探测: 红外线探测, OEM, 300 PCS / CTN, 探测距离: 约 100 米 express
探测精度: T / T, Paypal, 约 1527)



PIR



1. Wireless PIR motion detector

2. Wireless frequency 433Mhz/315Mhz(optional)

3.12m detecting distance


4. 9V 6F22 battery power supply

5.2 years warranty , welcome OEM



□□□□□□□□□□□□


[illegible]





- | | |
|---------------------------------|-----------------------------------|
| ① coding skipping | ⑦ LED indicator light(J1) |
| ② oscillation resistance adjust | ⑧ working modes choice(MODE) |
| ③ anti-dismantle switch | ⑨ delayed adjustment(T) |
| ④ power switch | ⑩ sensitivity adjustment(P) |
| ⑤ battery | ⑪ pyroelectricity infrared sensor |
| ⑥ indicator light switch | ⑫ antenna |

Detecting area diagram:

Top view




Side view



(Normal use)

(Curtain use)



SHOW CASE



OFFICE SHOW



□□□□□□



□□□□□□□□



□□□□□□□□□□



HOW TO COOPERATION

A:EXW MOQ 100pcs

QUESTION: _____?

A: ()

QUESTION: _____?

A:

Q:

A: []

EV1527