



規格書	
型番	EA-87A
寸法	120 × 56× 18 (mm)
動作電圧	12V DC
動作電流	& lt; 60mA
動作温度	2000pcs
動作湿度	ID 5-8 % IC 3-6cm
動作時間	0 ~ 99 時間 (連続動作)
動作モード	標準 / 標準モード Super / UID + 標準モード / 標準 + 標準 標準
動作周波数	標準モード標準モード標準モード EM (125khz)

□□□□□□□□□□□□□□	□□□□□□□□□□□□□□ / □□□□□□□□□□□□□□ / □□□□□□□□□□□□□□ / □□□□□□□□□□□□□□ / tamper
□□	□□□□□□
□□□□□□□□□□□□	□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□	□□□□□□□□
□□□□□□□□□□□□□□□□□□□□	-10 °C ~ 50 °C
□□□□□□□□□□□□□□	0.5 □.□.

□□□□□□□□□□□□ **EA-87A** □□□□□□□□□□□□□□□□□□?



1. single door access control keypad

2. card capacity 2000pcs

3. IC 13.56MHz, ID 125KHz, card type optional

4. waterproof, suitable for outdoor


5. button with LED back light

□□□□□□□□

□□□□□□□□ **IN-KIND**



□□□□□□□□□□□□



XXXXXXXXXXXXXXXXXXXXXXXXXXXX

Order Number: 77851351216448		Last update Time: 2016-09-05 07:19		fobister 
Trade Assurance coverage		On-time shipment safeguard		Post-delivery product quality safeguard
Buyer feedback	thank you for your support , pls keep the quality and best service , we will do more business together in the future !			
Order Number: 77851671126448		Last update Time: 2016-09-05 07:17		fobister 
Trade Assurance coverage		On-time shipment safeguard		Post-delivery product quality safeguard
Buyer feedback	thank your for your support , pls keep the quality and best service .			

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX?



□□□□□□ & □□□□□□□□□□

□□□□□□□□□□□□□□□□



VARIETY OF PAYMENT OPTIONS

T/T
30/70

L/C
AT SIGHT/90DAY



000000 000000

OFFICE SHOW



□□□□□□



□□□□□□□□

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



[illegible]

A:

Q:

A: 1-3 10-15 5000

Q: 如何選擇合適的 MOQ 數量呢?

[illegible]

QUESTION:

A: ()

[illegible]

A: