

Yangın alarm sistemi için EN54 UL standardına uygun 9 ~ 35V DC 4 telli fotoelektrik duman dedektörü



SMQT®

New

Access control & Alarm product supplier



EB-117D2 NEYE BENZER?



EB-117D2'NİN ANA PARAMETRESİ

Ürün adı:	Yangın alarm sistemi için EN54 UL standardına uygun 9 ~ 35V DC 4 telli fotoelektrik duman dedektörü
Model numarası:	EB-117D2
Güç kaynağı:	DC 9 ~ 35V
Tel bağlantı noktası:	4 port (Giriş gücü +, giriş gücü-, Röle çıkışı (COM), Röle çıkışı (NO veya NC)
Boyut:	103 çap * 53 (mm)
Algılama alanı:	20 metrekare
Alarm göstergesi	Kırmızı LED ışığı yanıyor
İçin uygun:	Yangın alarm paneli sistemi
Kurulum yolu:	Tavana monte
Çalışma sıcaklığı:	-10 Santigrat Derece ~ +50 Santigrat Derece
Çalışma nemi:	% 0 ~ 90 Bağıl Nem (yoğunlaşma yok)
Ağırlık:	0,218 kg
LED:	2 LED ışık
Sabotaj:	Evet
Malzeme:	ABS muhafazası + PCB kartı
Muhafaza rengi:	Beyaz
Garanti:	2 yıl garanti
OEM:	Hoşgeldin OEM

EB-117D'NİN ÖZELLİKLERİ NELERDİR?



1.9~35V DC 4 wire fire alarm system photoelectric smoke detector

2. Working power DC 9~35V

3. Standby current 2mA(24V NO),13mA(24V NC)

4. Alarm current 18mA(24V NO), 6mA(24V NC)

5. Alarm indication: Red LED on

6. Wire port: POWER+(In)/POWER-/COM/NC(NO)

7. Suitable for fire alarm system



8. Conformed with EN54-7/UL268 standard

9. 2 years warranty , welcome OEM

EB-117D2 NASIL ÇALIŞIYOR?




4 wire detectors wiring diagram



PCB Board

Where to installation?



Mall



Library



Bank

DİĞER SEÇİM HAKKINDA NASIL?

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技

