

Door release button

Aluminum panel, stainless steel button

Standblast finished

500000 times mechanical test

Suitable for access control system

SMQT®



• Parameter

SMQT®

Parametre	
Ürün adı	Alüminyum panel kapı açma / anahtarı düğme
model	EA-22
boyut	EA-22A: 86 × 50 × 20 (mm) EA-22B: 86 × 86 × 20 (mm)
Standart yapı	Paslanmaz çelik düğmesi ve alaşım-al paneli
Değerlendirme akımı	3A 36V DC Max
mekanik test	500.000 kez test
uygun aralık	Giriş kontrol sistemi
Renk	Şerit-gri
kullanım	Erişim kontrol sysetm kapı açık
Bağıl nem	0 ~ 95%
çevre Isısı	-20 °C -55 °C (14-131F)
Panel Malzeme	Alüminyum panel, Biten Kumlama
Net ağırlık	EA-22A: 0.16kg EA-22B: 0.25kg

• In-kind shooting

SMQT®





EA-22A



EA-22B



EA-22A



EA-22B

Advantages

Aluminum panel with the sand blast treatment

Pure copper plating nickel button


500,000 times mechanical test

•Application

SMQT



Switch power supply



•Packaging & shipping

SMQT

Ambalaj listesi	
Ürün adı	EA-22 Alüminyum panel kapı açma / anahtarı düğmesi
Adet	karton başına 100 adet
Karton boyutu	47 * 37 * 29 (cm)
Ağırlık	17 ~ 26kg



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....