

## ● Parameter

SMQT®

| Belirtimi          |                                   |
|--------------------|-----------------------------------|
| Ürün adı           | Kapı açma düğmesine dokunun       |
| Boyutları A        | 86 * 50 * 25 (mm)                 |
| Boyutları B        | 86 * 86 * 25 (mm)                 |
| Giriş Voltajı      | DC12V                             |
| Standart yapısı    | Pleksiglas dokunmatik tetikleyici |
| Dayanıklılık testi | 500.000 kere test yaşanma         |
| Türü için          | Dar kapı çerçeveleri çeşitli için |
| Sıcaklık           | -20°C ~ + 50°C                    |
| Orta uygulanabilir | 0-%95 (bağıl nem)                 |
| Tetikleyici aygıt  | dokunmatik                        |

## ● Introduction

SMQT®

1. düğmesi tasarım basit ve güzel, Pleksiglas panelleri, malzemeler kullanılarak değmek-duyarlı kapı, kullanım iletişim ışık ekranlarından yanıt etkileşimli tasarım, dahili kullanım ithal hammadde Bayer PC plastik üretim, sugeçirmez ve toz geçirmez tasarım, renk sıcaklığı 500 bin kere için ışık nispeten karanlık yer test yaşanma mücadele değiştirmek kolay.
2. indüksiyon dokunmatik geçiş (kızılötesi Dedektör) öğrenin.
3. kızılötesi optik teknolojisi
4. kolay kullanım
5. algılama aralığı: 0,1 ila 20 cm (göre siteli)
- 6.Applications: erişim kontrolü / giriş / otomatik kontrol
7. geçiş anahtarı çıktı
8. çıkış düğmesini (arka plan ışığı) ile touch-type ama normalde, normalde kapalı açık ile.

## ● Dimesion Picture

SMQT®



Switch Power Supply



EM lock



Touch Induction  
Door Release button  
EB-20B




Single Door Access  
control Keypad

## 1 Superior Design

Touch push button design simple and beautiful, Panel using organic glass materials, touch induction to open the door, button USES the interactive design of light touch response. Internal using PC rubber production, high temperature resistant do not fade

Resistance to heat shock Organic glass touch responsive



## 2 Product components

500,000 times test qualified, the relay switch power output, (NO NC COM) 3 lines button suitable for all Access control system

NO NC COM, 3 lines

## 3 Strong stability

Waterproof and dustproof more durable and strong, resistance to high temperature shock do not fade.

Waterproof and Dustproof Stable solid long life



### ● Packing list

SMQT

| Ambalaj listesi     |                            |                            |
|---------------------|----------------------------|----------------------------|
| Ürün numarası       | EA-20A                     | EA-20B                     |
| Miktar              | 100 / kutu                 | 100 / kutu                 |
| Ambalaj Özellikleri | 46,5 L * 37.5W * 28 H (cm) | 46,5 L * 37.5W * 28 H (cm) |
| Paket ağırlığı      | 5,8 kg                     | 8.5 kg                     |





## ● Exhibitions

**SMQT**

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

