

● Parameter

SMQT®

şartname		
Ürün numarası	EA-23A	EA-23B
standart Yapısı	Paslanmaz çelik paneller, metal düğmeler	Paslanmaz çelik paneller, metal düğmeler
Elektrik Performans	Güncel maksimum dayanıklılık 3A36VDC	Güncel maksimum dayanıklılık 3A36VDC
Kontak çıkışı	NC / COM kontakları	NO / NC / COM kontakları
dayanıklılık testi	500.000 kez test yaşanma	500.000 kez test yaşanma
Tip	Uygulanabilir içi boş çerçeveler	Uygulanabilir içi boş çerçeveler
Panel İşleme	Fırçalanmış paslanmaz çelik panel	Fırçalanmış paslanmaz çelik panel

● Introduction

SMQT®

Çıkış düğmesi görünüm tasarım, paslanmaz çelik panel malzemesi.

Paslanmaz çelik malzemelerden yapılmış Düğme / metal silindir ürün istikrar, daha güçlü ve daha dayanıklı geliştirmek için.

ithal hammadde iç kullanım, Bayer PC plastik üretimi, yüksek sıcaklık şoku ve değiştirmek zor imzalandı.

● Dimesion Picture


SMQT®



● Installations

SMQT®

Switch Power Supply



● Features

SMOT

Superior Design **NO.1**

Stainless steel wire drawing panel, high temperature resistant shock, do not fade.



Components **NO.2**

PC rubber seal production, full seal lock core.

● Packing list

SMQT



paketleme listesi

Ürün numarası	EA-23A	EA-23B
Adet	100 / kutu	100 / kutu
Ambalaj Özellikleri	46.5L * 37.5W * 28H (cm)	46.5L * 37.5W * 28H (cm)
Ambalaj ağırlığı	6.3kg	10.1Kg



● Office

SMQT



● Exhibitions

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....