● Parameter SMOT

boyutlar	65 * 30 * 17 (mm)
Çalışma gerilimi	3.7V / 200mAh
Şarj süresi	> 12 saat
Tam yükte pil çalışma süresi	Year 1 Yıl
boşluk	40 ± 5mm
Radyo frekansı	315 MHZ / 433 MHZ / 868 MHZ
İletim mesafesi	≤100m (açık hava)

Introduction
SMQT


Yangın geciktirici kaplama malzemesi, güvenlik ve stabilite.

Kararlı, istikrarlı performans, yeşil.


Esnek iletim kapasitesi, frekans kararlılığı seçenekleri.

433Mhz veya 868Mhz alarm frekanslı kablosuz kapı temas sensörü kilidi, woonden kapı veya pencerede uygundur.

Dimesion Picture SMQT



● Installations SMQT



Features
SMOT



Multifunctional, the new model, patented design.

Tradition, stability, durability Imported touch reed switch

Fire-retardant casing material, security and stability.

Comes with emergency button, an accessory, a variety of uses.



Built-in battery, used or release anytime.

Smart power-saving built-in battery design, the sensor also can work at home even tougth power cut out, comes with high-energy battery, sustainable use of uninterruptible power supply

Reed , A special magnetic switch

Imports Reed touch than the general mechanical switch of simple structure, small size, high speed, long working life, and strong anti-shock load, high operating reliability.



Packing list SMOT

Adet	200 / kutu
Ambalaj Özellikleri	40 * 30 * 20 (cm)
Ambalaj ağırlığı	10Kg

• Office SMQT













• Exhibitions SMQT

