

Belirtimi	
Ürün nanme	Kablolu manyetik kapı kişi sensör
Model numarası	EB-136
Boyutlar	Φ19 * 25 (mm)
Bağlantı	Normalde açık / normalde kapalı
Çalışma mesafesi	35 ± 5 (mm)
Maksimum basınç	≤100VDC
Yük akımı	≤500mA
Çalışma gücü	≤10W
Konut malzeme	ABS yanmaz malzeme
Şekil renk	Kahverengi / beyaz
Kapsam	Demir kapı veya pencere
Ürün ağırlığı	24g

Özelliği: Güzel görünümü, yüksek titreşimli direnç

Malzeme: almaABS kabuk;

Japonya OKI reed anahtarı;

1007# / 22 # 350mmUL tel

Renk: beyaz, kahve

Çalışma mesafesi: 30-40mm

Anahtar türü: normalde kapalı NC---(açık devre alarm)

HAYIR---(Yol alarm) normal olarak aç

HAYIR& NC---normalde açık normalde kapalı

Sabit formu: Katıştırılmış



2 Color optional



● Features

SMQT

Fire-proofing materials

Adopt ABS flame retardant material, fire retardant safer, connecting with 22 # wire, total length of 30 cm. Suitable for metal doors and cabinet door, etc.



Waterproof seal

Using imported PC glue sealing, close the magnet and wiring, waterproof and durable leakage, using more safe and more comfortable



Strong magnetism

Magnetic strength, which can be installed directly drilling, stable performance.

● Packing list

SMQT

	Belirtimi
Miktar	500 / kutu
Ambalaj Özellikleri	37,5 L * 29.5W * 20 H (cm)
Paket ağırlığı	12,8 kg





● Exhibitions



2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....