

● Parameter

SMQT

şartname	
Ürün adı	ABS gövde Kapı Sensörü Manyetik Anahtarı İletişim
model	EB-140
boyutlar	44 x 10 * 7 (mm)
Bağ	Normalde açık / normalde kapalı
Çalışma mesafesi	15-20 (mm)
maksimum basınç	≤100VDC
Yük akımı	≤500mA
çalışma Gücü	≤10W
Ev materyalleri	ABS
kabuk rengi	beyaz
İçin uygun	Ahşap kapı ve pencereler / ahşap kapılar

● Introduction

SMQT

Yüksek kaliteli çift taraflı yapışkan sabit ile, sabit ve kullanışlı.
güvenli ve güvenilir Ateş koruyucu malzemeler,.

Yüksek manyetik yüksek kaliteli kamışla mıknatıs, daha çevik ve verimli hale getirir.

● Dimesion Picture

SMQT



● Installations

SMQT



● Features

SMQT



Fire-proofing materials



ABS shell, safe and reliable.

With the screw

Screws and double-sided adhesive fixed installation, stable and reliable.



High sensitivity

High quality magnets with high quality dry reed pipe, more sensitive, more efficient.



● Packing list

SMQT

paketleme listesi	
Ürün adı	EB-140 ABS gövde kapı sensörü, manyetik anahtar kontağı
Adet	800 / kutu
Ambalaj Özellikleri	40 * 30 * 20 (cm)
Ambalaj ağırlığı	19.68Kg



● Office

SMQT®



● Exhibitions

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair