

Infrared induction door release button

No touch infrared induction
Induction distance 10~20cm
500000 times mechanical test
Suitable for access control system

SMQT®



• Parameter

SMQT®

Parametre	
Ürün adı	Kızılötesi indüksiyon kapı anahtarı düğmesi
model	EA-21A / EA-21B
boyut	EA-21A: 85 × 52 × 25 (mm) EA-21B: 86 × 86 × 39 (mm)
Giriş gerilimi	DC 12V
indüksiyon Açısı	& Lt; 115 °
güç kapasitesi	& Lt; 4W
indüksiyon Mesafe	10 ~ 20 cm
Kontak çıkışı	NO / NC / COM
mekanik test	500.000 kez test
uygun aralık	Giriş kontrol sistemi
Renk	gri / siyah
kullanım	Erişim kontrol sysetm ve kapı telefonuna sistemi
Bağıl nem	0 ~ 95%
çevre Isısı	-20 °C -50 °C
Net ağırlık	EA-21A: 0.046kg EA-21B: 0.106kg

• In-kind shooting

SMQT™





EA-21A



EA-21B



No touch infrared induction door release button

500000 times mechanical test


LED back light indication

Stainless steel panel,wire drawing finished

Welcome OEM&ODM

•Application

SMQT®



•Packaging & shipping

SMQT®

Ambalaj listesi	
Ürün adı	EA-21 Kızılötesi indüksiyon kapı anahtarı düğmesi
Adet	karton başına 100 adet
Karton boyutu	37 * 30 * 29 (cm)
Ağırlık	12kg



• Office show

SMQT



• Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

