

Touch door release button

LED light indication

Touch iduction

Plexiglass panel

2 sizes optional

500000 times mechanical test.

SMQT®



• Parameter

SMQT®

Parametre	
Ürün adı	LED arka ışık kapı anahtarı düğmesi
model	EA-20
boyut	Model A: 86 × 56 × 25 (mm) Model B: 86 × 86 × 25
Giriş gerilimi	DC 12V
standart yapı	Pleksiglas dokunma
mekanik test	500.000 kez test
uygun aralık	içi boş Kapı
Renk	Siyah panel, Gümüş çerçeve
kullanım	Erişim kontrol sysetm ve kapı telefonuna sistem
Bağıl nem	0 ~ 95%
Çevre Isısı	-20 °C -50 °C
Net ağırlık	Model A: 0.06kg Model B: 0.09kg

• Introduction

SMQT®





EA-20A



EA-20B

1 Superior Design

Touch push button design simple and beautiful, Panel using organic glass materials, touch induction to open the door, button USES the interactive design of light touch response. Internal using PC rubber production, high temperature resistant do not fade

Resistance to heat shock Organic glass touch responsive



2 Product components

500,000 times test qualified, the relay switch power output, (NO NC COM) 3 lines button suitable for all Access control system

NO NC COM, 3 lines



3 Strong stability

Waterproof and dustproof more durable and strong, resistance to high temperature shock do not fade.


Waterproof and Dustproof Stable solid long life

• Application

SMQT®



Switch Power Supply



Touch Induction
Door Release button EA-20

Single Door Access
control Keypad

• Packaging & shipping

SMQT®

Ambalaj listesi	
Ürün adı	EA-20 LED arka ışık kapı anahtarı düğmesi
Adet	karton başına 100 adet
Karton boyutu	37 * 30 * 29 (cm)
Ağırlık	12kg



• Office show

SMQT[®]



• Exhibition

SMQT[®]

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

