

Wired metal magnetic contact sensor

NO/NC Code mode optional

50±10(mm) gap distance

Max voltage≤100V DC,Max current≤500mA

Suitable for metal door or window

Material:mode A is Alloy-zn

mode B is ABS

Silver color

Weight:mode A 158g,mode B 62g

SMQT®



• Parameter

SMQT®

Boyutlar	106 * 16 * 16 (mm)
bağ	Normalde açık / normalde kapalı
Çalışma mesafesi	50 ± 10 (mm)
Maksimum basınç	≤100VDC
yük akımı	≤500mA
Çalışma gücü	≤10W
ev materyalleri	Çinko alaşımı B ABS
Şekil rengi	gümüş
Kapsam	Ütü kapı veya pencere
Ürün ağırlığı	158g / 62g

• Introduction

SMQT®

Manyetik kapı kontak anahtarı kapı erişim kontrol sistemi ve alarm güvenlik sistemi için manyetik kapı sensörü anahtarıdır.

PRODUCT PICTURE



PRODUCT FEATURE



Wired magnetic contact sensor

NO/NC code mode optional

50±10(mm) gap distance

MAX voltage: ≤100V DC, MAX current ≤500mA

Material: mode A: Alloy-zn, mode B: ABS

Suitable for metal door or window

Color: grey silver

Weight: mode A: 158g mode B: 62g

Welcome OEM and 2 years quality warranty

WHY CHOOSE US ?



1.7 Years golden supplier in Alibaba platform.

2.Our product follow CE standard.

3.Provide 2 years quality warranty.

4.Welcome OEM and ODM.





● Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair