

Wired magnetic contact sensor

Fireproof ABS material shell

NO/NC model optional

Brown/white color optoinal

20±5(mm) gap distance

Suitable wooden door or window

14g weight

SMQT®



• Parameter

SMQT®

Boyutlar	41L * 27W * 8 (mm)
Bağ	Normalde açık / normalde kapalı
Çalışma mesafesi	20 ± 5 (mm)
Maksimum basınç	≤100VDC
Yük akımı	≤500mA
Çalışma Gücü	≤10W
Ev materyalleri	ABS yanmaz malzeme
Şekil rengi	Kahverengi / Beyaz
Kapsam	Demirsiz kapı veya pencere
Ürün ağırlığı	12g

• Introduction

SMQT®

Kapı manyetik kontak anahtarı detektörü, kapı açık yakın sensör alarm cihazı için kapı hareket sensörüdür.

PRODUCT PICTURE



PRODUCT FEATURE



Dimension: 34×41×6.5(mm)

NO/NC mode optional

20±5(mm) distance gap

MAX voltage ≤ 100VDC, MAX current ≤ 500mA

Fireproof ABS material shell

White/Brown color optional

Suitable for wooden door or window

14g weight

2 years quality warranty, welcome OEM



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

