

Wired magnetic contact sensor

NC/NO mode optional

20±5(mm) gap distance


MAX voltage≤100V DC,MAX current≤500mA

Suitable for wooden door or window

White/Brown color optional

12g weight

SMQT®



• Parameter

SMQT®

Parametre	
Ürün adı	Manyetik kontak sensörü
model	EB-133
boyut	27 × 41 × 8 (mm)
kod modu	NO / NC (isteğe bağlı)
boşluk	20 ± 5 (mm)
Maksimum gerilim	≤100V DC
Maksimum akım	≤500mA
Max değerlendirmesi	≤10W
Renk	Kahverengi / Beyaz (isteğe bağlı)
İçin uygun	ağşap kapı veya pencere
Malzeme	Yanmaz ABS gövde
Çalışma sıcaklığı	-10 °C ~ 50 °C
Net ağırlık	12g

• In-kind shooting

SMQT®





EB-133

Dimension:27×41×8(mm)

Fireproof ABS material shell

NC/NO mode optional(NO mode need OEM)

Max voltage≤100VDC, Max current≤500mA

Suitable for wooden door or window

White/Brown color optinal

12g weight

2 years quality warranty,welcome OEM

●Packaging & shipping

SMQT

Ambalaj listesi	
Ürün adı	Manyetik kontak sensörü EB-133
Adet	karton başına 1600 adet
Karton boyutu	38 * 30 * 30 (cm)
Ağırlık	20kg



• Office show

SMQT



• Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

