


Ucuz Eriřim Kontrolü Yakınlık Rfid Em Kart 125khz/13.56Mhz Okuyucu
Bağımsız Eriřim Kontrolü Tuř Takımı okuyucu



Single door access control keypad

1000 user capacity / 125KHz&13.56MHz optional/ WG output&input

EA-84"ün ana parametresi


Ürün adı:	Ucuz Fiyat Tek Kapılı Bağımsız Rfid Güvenlik Eriřim Kontrolü/kapı Tuř Takımları	
Modeli:	EA-84C	EA-84D
RFID frekansı:	Bütünleşik(13.56Mhz)	Kimlik(125KHz)
Okuma mesafesi:	2~5 cm	
Kullanıcı kapasitesi:	1000 Kart	
Güç kaynağı:	DC 12±10% V	
WG sinyali:	Giriř çıkıř	
Statik akım:	≤100mA	
Kapının açılma süresi:	5'ler	
Çalışma sıcaklığı:	0°C~60°C	
Çalışma nemi:	%0~%95	
Depolama sıcaklığı:	0°C~60°C	
Boyut:	120x78x22mm (hata ± 3mm)	
Ev materyalleri:	bilgisayar	
Renk:	Siyah uçak ve Gümüş çerçeve	
Ağırlık:	0,5 kg	


EA-84'ün özellikleri nelerdir?

Size



Appearance






Indicator light

Card reading area

Input keyboard

Door bell button




Relay


Wire port

Buzzer

13.56MHz/125KHz optional




EA-84C:13.56MHz



EA-84D:125KHz

Working diagram



Where to use?



Home



Office



Laboratory






Hospital




Machine room

Packing list



Diğer seçeneğe ne dersiniz?



SMQT show




Team



Factory



Certificate



2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2017 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair