

Door release button

Stainless steel panel ,steel button durable

Wrie drawing finshed

500000 times mechanicak test

Suitable access control sytem

2 models optional

SMQT®



• Parameter

SMQT®

Parametre	
Ürün adı	Paslanmaz çelik panel kapı serbest bırakma / buton
model	EA-23
boyut	EA-23A: 91 × 28 × 20 (mm) EA-23B: 88 × 88 × 20 (mm)
Standart yapı	Paslanmaz çelik düğmesi ve alaşım-al paneli
Değerlendirme akımı	3A 36V DC Max
Kontak Çıkışı	EA-23A: NC / COM EA-23B: NO / NC / COM
mekanik test	500.000 kez test
uygun aralık	Giriş kontrol sistemi
Renk	gri
kullanım	kapıyı açmak için itin
Bağıl nem	0 ~ 95%
çevre Isısı	-20 °C -55 °C (14-131F)
Panel Malzeme	Paslanmaz çelik panel, tel çekme bitmiş
Net ağırlık	EA-23A: 0.065KG EA-23B: 0.1kg

• In-kind shooting

SMQT®





EA-20A



EA-20B

Superior Design NO.1

Stainless steel wire drawing panel, high temperature resistant shock, do not fade.





Components NO.2

PC rubber seal production, full seal lock core.

• Application

SMQT



• Packaging & shipping

SMQT

Ambalaj listesi	
Ürün adı	EA-23 Paslanmaz çelik panel kapı bırakma / buton
Adet	karton başına 100 adet
Karton boyutu	47 * 37 * 29 (cm)
Ağırlık	7 ~ 12kg



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

