

Wired magnetic contact sensor

Fireproof ABS material shell

NO/NC model optional

Brown/white color optional

20±5(mm) gap distance

Suitable wooden door or window

14g weight

SMQT



• Parameter

SMQT

Boyutlar	41L * 34W * 6.5H (mm)
Bağ	NC / HAYIR
Çalışma mesafesi	20 ± 5 (mm)
Maksimum dayanıklılık	≤100VDC
Yük akımı	≤500mA
Çalışma Gücü	≤10W
Ev materyalleri	ABS yanmaz malzeme şekli
Renk	Kahverengi / Beyaz
Kapsam	Demirsiz kapı veya pencere
Ürün ağırlığı	14g

• Introduction

SMQT

Elektronik kapı manyetik sensör anahtarı, giriş kontrol sistemi ve alarm sistemi için manyetik dedektör anahtarı ve manyetik pencere kontak anahtarı 12v'dir.

PRODUCT PICTURE



PRODUCT FEATURE



EB-132

Dimension:34×41×6.5(mm)

NO/NC mode optional

20±5(mm) distance gap

MAX voltage≤100VDC,MAX current≤500mA

Fireproof ABS material shell

White/Brown color optional

Suitable for wooden door or window

14g weight

2 years quality warranty,welcoem OEM



● Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....