


Kablolu hırsız alarm sistemi Dış Mekan IP65 Akıllı PIRMikrodalga üçlü teknolojisi Geniş Açılı/Perde Lensli Hareket Dedektörü



Outdoor Motion Detector

EB-179S2'nin ana parametresi

Şartısım	
Name	Kablolu Dış Mekan IP65 Akıllı PIRMikrodalga üçlü teknolojisi Hareket dedektörü
Model numarası	EB-179S2
Boyut	160*65*50,5(mm)
Çalışma gerilimi	9~16VDC
Tüketim Akımı	30mA
Mikrodalga frekansı	10.525GHZ
Alarm zamanı	3'ler
Anti-RFI/EMI	0.1-500MHZ/3V/m
Anti-beyaz ışık	>10000 LUX
Alarm çıkışı	100mA/24V
Maske çıkışı	100mA/24V
Ortam Sıcaklığı	-10°C~55°C
Nem (RH)	%95
Duyarlılık	T/L Seçimi

Hızı tespit et	0,2 m/s ila 3,5 m/s
Kapsamın algılanması	12m * 12m 100°(Geniş mercek) 12m*3m 12°(Perde merceği) 12m*12m 100°(Evcil hayvan merceği)
Kurulum Modu	Duvara monte
Kurulum Yüksekliği	Yaklaşık1.5m ~ 2.4m
Malzeme	Yanmaz ABS muhafaza
NEDEN OLMUŞ	AÇIK/KAPALI (isteğe bağlı)
Ağırlık	300 gram

EB-179S2'nin özellikleri nelerdir?

Size





Waterproof




IP65 level


Detecting area specification




PCB board display




Installation precautions




Keep away from strong interference




Keep away from high pressure power




Installation base shall be stable




No direct facing cold /hot source



Don't install more than 2 detectors at the same site



Don't install on the tree



Install error

Packing list



Diğer seçeneğe ne dersiniz?



SMQT show



Team



Factory



Certificate



2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2017 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair