

Wireless door sensor

Fireproof ABS shell

DC 12V power supply

Wireless frequency 315Mhz/433Mhz optional

Wireless signal transmission distance max 100m

SMQT




• Parameter



SMQT

Parametre	
Ürün adı	Kablosuz kapı alarmı ev alarm sensörü
model	EB-130
boyut	71 × 36 × 15 (mm) 63 × 14 × 14 (mm)
boşluk	40 ± 5mm
Çalışma gerilimi	12V Alkali pil
Pil çalışma süresi	≤1years
Kablosuz Sıklık	315Mhz / 433MHz (isteğe bağlı)
verici mesafe	& Lt; açık = 100m (bölge)
kabuk rengi	Beyaz
Net ağırlık	0.035kg

• In-kind shooting

SMQT






Function: To detect the door, window, drawer, ambry is illegally open or move.

Features: Triggered under the armed state, there will be alarm signal to send to alarm host.

Installation: installed at the closed door and drawer. (PS: Detectors and magnetic stripe is opposite, the spacing of less than 1 cm)



Installation Instruction

1. Emitter and magnetic stripe with two-side glue stick on the door and door frame, as far as possible between closed without gap
2. Suitable for wood door/window or glass door/window.

• Packaging & shipping

SMQT®

Ambalaj listesi	
Ürün adı	EB-130 Ev alarm için kablosuz kapı alarm sensörü
Adet	karton başına 200 adet
Karton boyutu	47 * 37 * 29 (cm)
Ağırlık	10kg



• Office show

SMQT®



2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....