

Wired magnetic contact sensor

NC/NO mode optional

20±5(mm) gap distance


MAX voltage≤100V DC,MAX current≤500mA

Suitable for wooden door or window

White/Brown color optional

12g weight

SMQT



• Parameter

SMQT

şartname	
Ürün adı	Kablolu Manyetik Kapak Kontak Sensörü
Model numarası	EB-134
Boyutlar	24L * 14W * 6H (mm)
Bağ	Normalde açık / normalde kapalı
Çalışma mesafesi	20 ± 5 (mm)
Maksimum basınç	≤100VDC
Yük akımı	≤500mA
Çalışma Gücü	≤10W
Ev materyalleri	ABS yanmaz malzeme
Şekil rengi	Kahverengi / Beyaz
Kapsam	Demirsiz kapı veya pencere
Ürün ağırlığı	10g

• Introduction

SMQT

Manyetik kapı erişim kontrol sistemi ve manyetik kapı alarmı manyetik dedektör kapısı kontak anahtarı kapısıdırSor.


PRODUCT FEATURE



• *Feature*

SMQT

PRODUCT FEATURE



EB-134

Dimension: 24×41×6(mm)

NO/NC mode optional (default is NC mode)

20±5(mm) Gap

MAX voltage ≤ 100VDC, MAX current ≤ 500mA

Suitable for Wooden door or window

Fireproof ABS material shell

White/Brown color optional

Weight 10g

Welcome OEM, 2 years quality warranty

• *Packaging & shipping*

SMQT



● Office show

SMQT®



● Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....