

Đặc điểm kỹ thuật	
Tên sản phẩm	Chạm vào nút phát hành cửa
Kích thước A	86 * 50 * 25 (mm)
Kích thước B	86 * 86 * 25 (mm)
Điện áp đầu vào	DC12V
Cơ cấu tiêu chuẩn	Plexiglass cảm ứng kích hoạt
Thử nghiệm độ bền	lão hóa 500.000 lần thử nghiệm
Đối với loại	Cho một loạt các khung cửa hẹp
Nhiệt độ	-20°C ~ + 50°C
Vừa phải áp dụng	0 đến 95% (độ ẩm)
Kích hoạt thiết bị	liên lạc

1. nút thiết kế đơn giản và đẹp, khán bảng bằng cách sử dụng vật liệu, touch-nhảy cảm cửa, sử dụng nút liên lạc, ánh sáng cảm ứng phản ứng tương tác thiết kế, nội bộ sử dụng nguyên liệu nhập khẩu Bayer PC nhựa sản xuất, chống thấm nước và dustproof thiết kế, dễ dàng để thay đổi nhiệt độ màu chiến đấu năm trăm ngàn lần lão hóa được thử nghiệm cho các nơi khá tối tăm ánh sáng.
2. cảm ứng cảm ứng chuyển ra (đầu báo Hồng ngoại).
3. hồng ngoại công nghệ quang học
4. dễ sử dụng
5. phạm vi: 0.1 đến 20 cm (theo môi trường trang web)
- 6.Applications: kiểm soát truy cập / entrance / tự động kiểm soát
7. Relay chuyển đổi đầu ra
8. ra nút touch-type (với đèn nền), nhưng với bình thường mở, đóng cửa bình thường.



Switch Power Supply



Touch Induction
Door Release button
EB-20B

EM lock




Single Door Access
control Keypad

1 Superior Design

Touch push button design simple and beautiful, Panel using organic glass materials, touch induction to open the door, button USES the interactive design of light touch response. Internal using PC rubber production, high temperature resistant do not fade

Resistance to heat shock Organic glass touch responsive



2 Product components

500,000 times test qualified, the relay switch power output, (NO NC COM) 3 lines button suitable for all Access control system

NO NC COM, 3 lines

3 Strong stability

Waterproof and dustproof more durable and strong, resistance to high temperature shock do not fade.

Waterproof and Dustproof Stable solid long life



● Packing list

SMOT

Bao bì danh sách		
Sản phẩm số	EA-20A	EA-20B
SL	100 / hộp	100 / hộp
Thông số kỹ thuật đóng gói	46,5 L * 37.5W * 28 H (cm)	46,5 L * 37.5W * 28 H (cm)
Trọng lượng bao bì	5.8 kg	8.5 kg





● Exhibitions



2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

