

● Parameter

SMQT

Kích thước	65 * 30 * 17 (mm)
Điện áp hoạt động	3,7V / 200mAh
Thời gian sạc	> 12h
Thời gian hoạt động của pin khi đầy tải	1 năm
lỗ hổng	40 ± 5 mm
Tần số vô tuyến	315MHZ / 433MHZ / 868MHZ
Khoảng cách truyền	≤100m (ngoài trời)

● Introduction

SMQT

Vật liệu vỏ chống cháy, an ninh và ổn định.

Ổn định, hoạt động ổn định, xanh.

Khả năng truyền dẫn linh hoạt, tùy chọn ổn định tần số.

Khóa cảm biến tiếp xúc cửa không dây với tần số báo động 433Mhz hoặc 868Mhz, thích hợp sử dụng trong cửa hoặc cửa sổ woonden.

● Dimesion Picture

SMQT



● Installations

SMQT

Wireless Magnetic Contact Sensor



1 Emergency Button

2 The magnetic flip-flop

3 LED Light

The unique door/window magnetic contact with the emergency button in security industry . make sure more safety for user;
 · Induce the door or window open or close and gap in 10mm, the wireless transmission up to 80 meter.



Stable, stable performance, green.
 Flexible transmission capacity, frequency stability options.

● Features

SMQT



Multifunctional, the new model, patented design.

Tradition, stability, durability
 Imported touch reed switch
 Fire-retardant casing material, security and stability.
 Comes with emergency button, an accessory, a variety of uses.



Built-in battery, used or release anytime.

Smart power-saving built-in battery design, the sensor also can work at home even though power cut out, comes with high-energy battery, sustainable use of uninterruptible power supply

Reed , A special magnetic switch

Imports Reed touch than the general mechanical switch of simple structure, small size, high speed, long working life, and strong anti-shock load, high operating reliability.



● Packing list

SMQT

Số lượng	200 / hộp
Thông số kỹ thuật đóng gói	40 * 30 * 20 (cm)
Trọng lượng đóng gói	10Kg

● Office

SMQT



● Exhibitions

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair