

Key-reset emergency button

fireproof ABS material shell, key-reset, suitable
for access control and alarm system.

SMQT



• *Parameter*

SMQT

Chiều hướng	54 * 54 * 32 (mm)
sản lượng Liên hệ	NO / NC
hiện tại làm việc	3A @ DC 36V
chế độ thiết lập lại	thiết lập lại chính
chế độ Intallation	Treo tường
Các ứng dụng	Thoát khỏi cửa, kiểm soát truy cập
Nguyên vật liệu	ABS chống cháy
Khối lượng tịnh	40g

• *Introduction*

SMQT

PRODUCT PICTURE



Các chống cháy nút nhấn công tắc khẩn cấp nhựa được sử dụng với

bảng điều khiển báo động cửa thoát hiểm khẩn cấp hoảng loạn.

• *Feature*

SMQT

PRODUCT FEATURE



Metal key-reset emergency button

Fireproof ABS material shell, net weight 40g

Suitable for access control and alarm system

Metal key-reset and wall-mounted

NO/NC contact output

2 years quality warranty and welcome OEM

• *Packaging & shipping*

SMQT



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair