

wireless Solar Siren

Fireproof ABS housing, 105 sound pressure,
AC 110V-240V, USB 5V ,solar Power supply,
color(red/blue optional).



SMQT

• *Parameter*


SMQT

source of electricity	3.7V 1800mAh 18650 loại pin có thể sạc lại một 9V 6F22 pin 1
table of control power solar panel output at	Dưới 2000LUX điều kiện ánh sáng $\geq 4\text{mA}$
maximum sound pressure	110dB
Maximum alarm current	& Lt; 500mA
standby current	& Lt; 1mA
charging time	& Lt; 45 ngày (không có điều kiện ánh sáng)
Frequency	315MHZ
Operating conditions	Nhiệt độ $-10\text{ }^{\circ}\text{C} \sim + 55\text{ }^{\circ}\text{C}$ Độ ẩm tương đối $\leq 80\%$ (không ngưng tụ)
Material	PC + ABS + chống UV
Dimensions	309 * 230 * 80 (mm)

• *Introduction*

SMQT

PRODUCT PICTURE



Electro cơ khí còi báo động cơ điện giống như tiếng còi báo động

năng lượng mặt trời nhấp nháy điện tử sử dụng với hệ thống báo động.

• Dimension

SMQT



• Feature

SMQT

PRODUCT FEATURE



EB-168W

1. Waterproof Shell →

2. Intelligent Control →

*3. Lithium batteries,
solar charger* →

4. Tamper alarm →

Your hearing, you kown, no worry!



Solar power



Wireless outdoor solar strobe light siren

Wireless connection



Apply for Wireless home alarm system

• Packaging & shipping

SMQT®



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....