

Đầu dò khói và nhiệt SMQT 4 dây



NHỮNG GÌ EB-1178 NHÌN NHƯ THẾ NÀO?



LÀM THẾ NÀO VỀ GÓI TIÊU CHUẨN CỦA EB-1178?



EB-1178 MAIN PARAMETER

Tên sản phẩm:	Đầu dò khói và nhiệt SMQT 4 dây
Số mô hình:	EB-1178
Cung cấp năng lượng:	DC 9 ~ 36V
Kích thước:	Đường kính 103 * 53 (mm)
Đặc tính:	Chức năng phát hiện khói & nhiệt được tổng hợp
Báo động nhiệt:	& gt; 57 Độ C sẽ báo động
Phát hiện khu vực:	20 mét vuông (chiều cao ít hơn 6m)
Chỉ báo báo động	Đèn flash LED màu đỏ & nhắc nhở âm thanh báo động
Phù hợp với:	Chuông báo cháy
Cách cài đặt:	Trần gắn
Nhiệt độ làm việc:	-10 Độ C ~ ~ 50 độ C
Độ ẩm làm việc:	0 ~ 95% RH (không ngưng tụ)
Cân nặng:	0,19kg
LED:	2 đèn LED
Vật chất:	ABS nhà ở + PCB board
Màu sắc nhà ở:	trắng
Sự bảo đảm:	bảo hành 2 năm
OEM:	Chào mừng OEM

EB-1178 CÓ GÌ?



1.Wired heat&photoelectric smoke detector

2.Working power 9~36V DC

3.Standby current : ≤ 0.2 mA(12V NO) ; ≤ 4 mA(12V NC)

4.Alarm current:10 mA(12V NO),7 mA(12V NC)

5.Alarm indication:Red LED on

6.Wire port: POWER+(In)/POWER-/ COM/NO or NC

7.Suitable for fire alarm system

8.Conformed GB4715 GB716 EN14604 standard



9.2 years warranty , welcome OEM

CÁCH LÀM VIỆC EB-1178?




Size



Module Display



How to connect wire?



Where to installation?



BANK



HOSPITAL



SCHOOL



COMPANY



HOME



MALL



HOTEL



APARTMENT

CÁCH LỰA CHỌN KHÁC?

