

New Waterproof Door Access control LED WG26/34 Card Reader



Specification	
Product Name	New Waterproof Door Access control LED WG26/34 Card Reader
Dimension	95mm*95mm*20mm
Working Voltage:	12VDC $\pm$ 30%
Working current:	<100mA
Communcition distance:	>80m
Reading distance:	5-15cm
Communication format:	WG26/34
Card type	IC(13.56MHz)
Response time	<0.5S
Working temperature	-35°C ~70°C

What's the features of our Door Access control LED WG26/34 Card Reader?



Card type is suitable for IC 13.56MHz


Working voltage 12V DC+30% power

With 2 years quality warranty, welcome OEM&ODM


Suitable for home, office, bank, school, hotel, factory and so on

Waterproof Door Access control LED WG26/34 Card Reader

IN-KIND SHOOTING



APPLICATION



SHOW CASES

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



OFFICE SHOW



CUSTOMERS



EXHIBITION

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2017 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



CERTIFICATION



HOW TO COOPERATE

PACKAGING AND SHIPPING



Express Delivery.....!



FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

Q:What is your MOQ?

A:No MOQ limit.The more quantity the more discounts.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea),or appointed by buyer,7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.